



DYEMANSION ROS

Constant water quality & process stability

Reproducible dyeing results through optimized process water

The water quality worldwide varies greatly depending on location and season and contains undesirable substances which have a negative impact on dyeing results. Constant water quality without these substances is essential for a stable process. Thanks to the principle of reverse osmosis, components such as lime and other salts are removed from the water. This achieves a consistent water quality that ensures reproducible dyeing results.

Higher efficiency & easy handling


The DyeMansion ROS Reverse Osmosis System is a user-friendly solution that can be integrated into the Print-to-Product workflow at any time and is perfectly matched for the use with your DeepDye Coloring Equipment (DM60 including DM60 Reservoir). In combination, this complete solution ensures more simplified handling compared to conventional desalination solutions.

Protection for your DeepDye Coloring Equipment

Thanks to the innovative filter system the DyeMansion ROS protects your DeepDye Coloring Equipment from limescale deposits. That not only ensures a stable dyeing process but also significantly extends the service life of your machines.

TECHNICAL DATA

ROS



PERFORMANCE

Efficiency	Supplies two DM60 with demineralized water
Maximum demineralized water production	Up to 120l/h 31.7gal/h
Integrated storage tank	450l 118.9gal
Demineralized water quality	*Conductance < 20µS/cm
Demineralized water yield	Approx. 40% at 15°C 59°F water temperature

DIMENSIONS

System (L x W x H)	1100mm x 700mm x 1767mm 43.3inch x 27.6inch x 69.9inch
Recommended space requirement for operations (L x W x H)	2300mm x 3088mm x 2000mm 90.6inch x 121.6inch x 78.7inch

WEIGHT¹

System (empty weight)	270kg 595lb
-----------------------	---------------


POWER

Supply	In operation: 0.95kW Standby: < 5W
Requirements	230V, 50Hz or 110V, 60Hz

WATER

Water input	Feed water flow min. 300l/h 79.3gal/h min. 2bar 29psi, max. 6bar 87psi ** Feed water quality at 15°C 59°F: conductance <650µS/cm TDS≤500mg/l; SDI≤3.0%/min.; SiO2≤15mg/l; oxidants ≤0.05mg/l; Fe+Mn <0.05mg/l
Waste water	Harmless water; approx. 180l/h 47.6gal/h

WATER DEMINERALIZATION PROCESS WITH THE DYEMANSION ROS



¹ Deviations possible depending on system variant.

CERTIFICATION¹

✓ CE | 2014/35/EU

DyeMansion GmbH
Robert-Koch-Strasse 1
82152 Planegg-Munich
Germany
+49 89 414 170 500
hallo@dyemansion.com

DyeMansion North America Inc.
4020 S. Industrial Drive, #160
Austin, TX, 78744
United States of America
+1 616 928 500 3
hello@dyemansion.com

For more information, visit:
www.dyemansion.com